



ZODIN WORK DONE SO FAR (SEPT, 2014 – OCT, 2014)



WORK DONE SO FAR

SEPTEMBER

LOGO OPTIONS

LEAFLET OPTIONS

POS

STICKER OPTIONS

LETTER HEAD

VISITING CARD

INVOICE

POSTER





STATUS

SEPTEMBER

LOGO OPTIONS

(Finalized by Client)

LEAFLET OPTIONS

(Creatives Shared with Client on 4th Sept, 2014)

STICKER OPTIONS

(Creatives Shared with Client on 4th Sept, 2014)

POS

(Creatives shared with Client on 9th Sept, 2014)





STATUS

SEPTEMBER

LETTERHEAD, ENVELOPE & VISITING CARD

(Finalized at Client's Office on 17th Sept, 2014)

INVOICE

(Shared with Client on 20th Sept, 2014)

POSTER

(Shared with Client on 23rd Sept, 2014)





LOGO OPTION 1





LOGO OPTION 2A





LOGO OPTION 2B





LOGO OPTION 2C





LOGO OPTION 2D





LOGO OPTION 3





LOGO OPTION 4





LOGO OPTION 5



ZODIN



LOGO OPTION 6A





LOGO OPTION 6B





LOGO OPTION 7





LOGO OPTION 8






LOGO OPTION 9



ZODIN



LOGO OPTION 9





LOGO OPTION 10




ZODIN





FINALIZED LOGO (DEVELOPED BY CLIENT)



ZODIN


A black starburst or multi-pointed star graphic positioned above the letter 'I' in the word 'ZODIN'.



LEAFLET OPTIONS



LEAFLET (OPTION 1 FRONT)



LEAFLET (OPTION 1 BACK)



The leaflet features a dark green background with a glowing yellow circuit board graphic on the left. Various electronic devices are shown, including a laptop, a monitor, a satellite dish, a CCTV camera, a home theater system, and a mobile phone. A ZODIN Power Guard surge protector is prominently displayed on the right. The ZODIN logo is in the top right corner. The text is organized into sections with yellow headers and green borders.

ZODIN

YOUR IDEAL PROTECTOR FOR:

- ♥ LED/LCD/Plasma TV
- ♥ Computer, laptop and mobile adaptors
- ♥ CCTV Camera
- ♥ Home theater
- ♥ DTH and other SMPS power supply

WHY POWER GUARD?

High/low voltage fluctuations as well as repeated spike & surge can result in non-functioning of your TV, Fridge, Laptop, Mobile and other power supply based equipments. Therefore, protect your electrical devices with the robust and reliable Power Guard from ZODIN.

USE IT TO BELIEVE IT

- ♥ Micro based, Peak voltage dependent cut-off system provides extremely fast HI-CUT as compared to analog system
- ♥ Voltage surge/spike protector introduced to suppress the most severe pollutant in electricity
- ♥ Fastest high over voltage protection to avoid damages of LCD/LED Tv, Home Theatre, Power Supplies, Computer/laptop/mobile adaptor and others

Zodin India Pvt. Ltd.
1306-07, Agarwal Corporate Heights, Netaji Subash Place, Pitampura, Delhi - 110 034 India
Phone: General enquiry: 011 23125797 | For Distributorship/ Dealership: 09811044866
For Technical matters: 09811542315 | Email : zodin100@gmail.com

LEAFLET (OPTION 2 FRONT)



ZODIN

Protection from voltage **fluctuations**
with the **all-new Power Guard**



ZODIN

GREEN : POWER ON
RED : HIGH CUT



PROTECTION FROM

- ⚡ SPIKE & SURGE
- ⚡ LOW VOLTAGE
- ⚡ HIGH VOLTAGE

LEAFLET (OPTION 2 BACK)



**Your ideal protector for:**

- LED/LCD/Plasma TV
- Computer, laptop and mobile adaptors
- CCTV Camera
- Home theater
- DTH and other SMPS power supply

**Why Power Guard?**

High/low voltage fluctuations as well as repeated spike & surge can result in non-functioning of your TV, Fridge, Laptop, Mobile and other power supply based equipments. Therefore, protect your electrical devices with the robust and reliable Power Guard from ZODIN.



**Use it to believe it**

- Micro based, Peak voltage dependent cut-off system provides extremely fast HI-CUT as compared to analog system
- Voltage surge/spike protector introduced to suppress the most severe pollutant in electricity
- Fastest high over voltage protection to avoid damages of LCD/LED Tv, Home Theatre, Power Supplies, Computer/laptop/mobile adaptor



Zodin India Pvt. Ltd. 1306-07, Agarwal Corporate Heights, Netaji Subash Place, Pitampura, Delhi - 110 034 India
Phone: General enquiry: 011 23125797 | **For Distributorship/ Dealership:** 09811044866 | **For Technical matters:** 09811542315
Email : zodin100@gmail.com

POSTER



Protection from voltage **fluctuations**
with the **all-new Power Guard**



PROTECTION FROM
⚡ SPIKE & SURGE
⚡ LOW VOLTAGE
⚡ HIGH VOLTAGE

Your ideal protector for:

- LED/LCD/Plasma TV
- Computer, laptop and mobile adaptors
- CCTV Camera
- Home theater
- DTH and other SMPS power supply

Why Power Guard?

High/low voltage fluctuations as well as repeated spike & surge can result in non-functioning of your TV, Fridge, Laptop, Mobile and other power supply based equipments. Therefore, protect your electrical devices with the robust and reliable Power Guard from ZODIN.

Use it to believe it

- Micro based, Peak voltage dependent cut-off system provides extremely fast HI-CUT as compared to analog system
- Voltage surge/spike protector introduced to suppress the most severe pollutant in electricity

Fastest high over voltage protection to avoid damages of LCD/LED Tv, Home Theatre, Power Supplies.





Zodin Industries LLP, Registered Office: 1306, Agarwal Corporate Heights, Netaji Subash Place, Pitampura, New Delhi - 110 034 India
Phone: General enquiry: 011 23125797 | **For Distributorship/ Dealership:** 09811044866 | **For Technical matters:** 09811542315
Email: zodin100@gmail.com | **WWW:** www.zodin.in






STICKER OPTIONS







STICKER OPTION 1







STICKER OPTION 2







STICKER OPTION 3



STICKER OPTION 4




STICKER OPTION 5



POS (COUNTER PANEL)

POWER GUARD
FROM
 **ZODIN**



PROTECTION FROM

SPIKE & SURGE

LOW VOLTAGE

HIGH VOLTAGE

GIVE YOUR GADGETS
THE PROTECTION THEY DESERVE

POS (DANGLER OPTION 1)



POS (DANGLER OPTION 2)



POS (DANGLER OPTION 2)





LETTERHEAD



Registered Office:
1306 Aggarwal Corporate Heights, Netaji Subhash Place Pitampura New Delhi.-110034



ENVELOPE

Size 17x24 cm



Registered Office:
1306 Aggarwal Corporate Heights, Netaji Subhash Place Pitampura New Delhi.-110034

VISITING CARD OPTION 1



Mr. Surendra Jain
Director

Registered Office:
1306 Aggarwal Corporate Heights,
Netaji Subhash Place Pitampura,
New Delhi.-110034



VISITING CARD OPTION 2



Mr. Surendra Jain
Director

Registered Office:
1306 Aggarwal Corporate Heights,
Netaji Subhash Place, Pitampura,
New Delhi.-110034

E
M
W



MAGWE TECHNOLOGIES PVT LTD

Buyer

Mode/Terms of Payment

Other Reference(s)

	Dated
--	-------

	Dated

	Destination
--	-------------

Terms of Delivery

	Amount Chargeable (in words)

Authorised Signatory

SUBJECT TO DELHI JURISDICTION
This is a Computer Generated Invoice



WORK DONE SO FAR

OCTOBER

CATALOGUE OPTIONS

(Brief Received from Client on 3rd Oct, 2014)

CATALOGUE (CREATIVE) SHARED

WITH CLIENT ON 9th Oct, 2014

(CATALOGUE UNAPPROVED BY CLIENT)

REVISED CATALOGUE SHARED WITH CLIENT ON

(22nd Oct, 2014)



CATALOGUE (OPTION 1 FRONT)

MAIN LINE VOLTAGE REGULATOR

DIGITAL VOLTAGE REGULATOR

SPECIAL FEATURES:

- Digital Processor Inside
- Digitally Regulated Voltage Output
- Wide Input Voltage Range
- Built in High / Low Voltage & Over Load Cut-Off
- 5 Second Initial Delay
- Output / Input Digital Display



SPECIFICATIONS

MODEL	WORKING RANGE	CAPACITY (MAX.)
DOZER-11	90-280V	1 KVA
DOZER-21	90-280V	2 KVA
DOZER-31	90-280V	3 KVA
DOZER-37	50-280V	3 KVA
DOZER-50	90-280V	5 KVA
DOZER-51	90-280V	5 KVA
DOZER-57	50-280V	5 KVA

CONSTANT VOLTAGE REGULATOR

SPECIAL FEATURES:

- Constant Regulated Voltage Output
- Wide Input Voltage Range
- Built in High / Low Voltage & Over Load Cut-off
- 5 Second Initial Delay
- Output / Input Digital Display



SPECIFICATIONS

MODEL	WORKING RANGE	CAPACITY (MAX.)
ASTRO-51	90-280V	5 KVA
ASTRO-81	90-280V	8 KVA
ASTRO-101	90-280V	10 KVA

MODELS MENTIONED IN THE CATALOGUE
MAY BE CHANGED WITH SUPERIOR MODELS

QUARDA SOCKET EXTENTION CORD

SPECIFICATIONS

MODEL	CORD LENGTH	CAPACITY (MAX.)
KOMBI-42	2 Mts.	5 Amp.
KOMBI-45	5 Mts.	5 Amp.

Application: TV, DTH, DVD, Audio System, Computer, Fax, Cordless Phone and Other Office and Domestic use.



For more information and detail contact or call:

Zodin Industries LLP

1306, Agarwal Corporate Heights, Netaji Subash Place,
Pitampura, Delhi - 110 034 India

Phone: General enquiry: 011 23125797

For Distributorship/ Dealership: 09811044866

For Technical matters: 09811542315

Email : zodin100@gmail.com

WEB: www.zodin.in

SPECIFICATIONS AND DESIGNS MAY CHANGE
DUE TO R&D DEVELOPMENTS

ZODIN

Protection from
voltage **fluctuations**
with the
all-new Power Guard



POWER PROTECTOR / STABILIZER

CATALOGUE (OPTION 1 INSIDE)

FRIDGE VOLTAGE REGULATOR

AUTOMATIC VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wide Input Voltage Range
- LED to Indicate Power On
- Sleek and Compact Design
- Three Pin Double Moulded Mains Input Cord
- ABS Plastic Front with latest Design Concept
- Volt Meter to Indicate Output Voltage

SPECIFICATIONS		
MODEL	WORKING RANGE	CAPACITY
SIPA-6	170-280V	FRIDGE UPTO 290Lts.
SLEEK-3	130-280V	FRIDGE UPTO 290Lts.
VOKAN-3	130-280V	FRIDGE UPTO 290Lts.
VOKAN-1	100-280V	FRIDGE UPTO 290Lts.
VOKAN-5	60-280V	FRIDGE UPTO 290Lts.

AC VOLTAGE REGULATOR

AUTOMATIC VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wall Mountable & Compact
- High, Low Volt & Over Load Protection
- Volt Meter to Indicate In/Out Voltage
- LED to Indicate Power On

SPECIFICATIONS		
MODEL	INPUT RANGE	AC CAPACITY
SILVO-47	170-260V	UPTO 1.5 TON
SILVO-45	150-260V	UPTO 1.5 TON
SILVO-56	165-260V	UPTO 2 TON

AC VOLTAGE REGULATOR

DIGITAL VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wall Mountable & Compact Design
- High, Low Volt & Over Load Protection
- Digital Processor Inside
- Digital Voltage & Indications Display

SPECIFICATIONS		
MODEL	WORKING RANGE	AC CAPACITY
XENON-44	130-280V	UPTO 1.5 TON
XENON-54	130-280V	UPTO 2 TON
XENON-41	90-280V	UPTO 1.5 TON
XENON-51	90-280V	UPTO 2 TON

SPECIAL MODELS WITH SPECIFIC DESIGN ARE ALSO AVAILABLE ON REQUEST


OPTION 2 (FRONT)

MAIN LINE VOLTAGE REGULATOR

DIGITAL VOLTAGE REGULATOR

SPECIAL FEATURES:

- Digital Processor Inside
- Digitally Regulated Voltage Output
- Wide Input Voltage Range
- Built in High / Low Voltage & Over Load Cut-Off
- 5 Second Initial Delay
- Output / Input Digital Display




SPECIFICATIONS		
MODEL	WORKING RANGE	CAPACITY (MAX.)
DOZER-11	90-280V	1 KVA
DOZER-21	90-280V	3 KVA
DOZER-31	90-280V	3 KVA
DOZER-37	50-280V	3 KVA
DOZER-50	90-280V	5 KVA
DOZER-S1	90-280V	5 KVA
DOZER-S7	50-280V	5 KVA

CONSTANT VOLTAGE REGULATOR

SPECIAL FEATURES:

- Constant Regulated Voltage Output
- Wide Input Voltage Range
- Built in High / Low Voltage & Over Load Cut-off
- 5 Second Initial Delay
- Output / Input Digital Display




SPECIFICATIONS		
MODEL	WORKING RANGE	CAPACITY (MAX.)
ASTRO-S1	90-280V	5 KVA
ASTRO-B1	90-280V	8 KVA
ASTRO-101	90-280V	10 KVA

MODELS MENTIONED IN THE CATALOGUE MAY BE CHANGED WITH SUPERIOR MODELS

For more information and detail contact or call:

Zodin Industries LLP, 1306, Agarwal Corporate Heights, Netaji Subash Place,
 Pitampura, Delhi - 110 034 India | **Phone:** General enquiry: 011 23125797
For Distributorship/ Dealership: 09811044866 | **For Technical matters:** 09811542315
Email : zodin100@gmail.com **WEB:** www.zodin.in

SPECIFICATIONS AND DESIGNS MAY CHANGED DUE TO R&D DEVELOPMENTS




PROTECTION


from

VOLTAGE FLUCTUATIONS

with the

ALL-NEW POWER GUARD





POWER PROTECTOR / STABILIZER

OPTION 2 (INSIDE)



FRIDGE VOLTAGE REGULATOR

AC VOLTAGE REGULATOR

AUTOMATIC VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wide Input Voltage Range
- LED to Indicate Power On
- Sleek and Compact Design
- Three Pin Double Moulded Mains Input Cord
- ABS Plastic Front with latest Design Concept
- Volt Meter to Indicate Output Voltage




SPECIFICATIONS		
MODEL	WORKING RANGE	CAPACITY
SIPAI-6	170-280V	FRIDGE UPTO 290Lts.
SLEEK-3	130-280V	FRIDGE UPTO 290Lts.
VOXAN-3	130-280V	FRIDGE UPTO 290Lts.
VOXAN-1	100-280V	FRIDGE UPTO 290Lts.
VOXAN-5	60-280V	FRIDGE UPTO 290Lts.

AUTOMATIC VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wall Mountable & Compact
- High, Low Volt & Over Load Protection
- Volt Meter to Indicate In/Out Voltage
- LED to Indicate Power On



SPECIFICATIONS		
MODEL	INPUT RANGE	AC CAPACITY
SILVO-47	170-240V	UPTO 1.5 TON
SILVO-45	150-260V	UPTO 1.5 TON
SILVO-56	165-260V	UPTO 2 TON

DIGITAL VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wall Mountable & Compact Design
- High, Low Volt & Over Load Protection
- Digital Processor Inside
- Digital Voltage & Indications Display




SPECIFICATIONS		
MODEL	WORKING RANGE	AC CAPACITY
XENON-44	130-280V	UPTO 1.5 TON
XENON-54	130-280V	UPTO 2 TON
XENON-41	90-280V	UPTO 1.5 TON
XENON-51	90-280V	UPTO 2 TON

SPECIAL MODELS WITH SPECIFIC DESIGN ARE ALSO AVAILABLE ON REQUEST


OPTION 3 (FRONT)

MAIN LINE VOLTAGE REGULATOR

DIGITAL VOLTAGE REGULATOR

SPECIAL FEATURES:

- Digital Processor Inside
- Digitally Regulated Voltage Output
- Wide Input Voltage Range
- Built in High / Low Voltage & Over Load Cut-Off
- 5 Second Initial Delay
- Output / Input Digital Display




SPECIFICATIONS

MODEL	WORKING RANGE	CAPACITY (MAX.)
DOZER-11	90-280V	1 KVA
DOZER-21	90-280V	2 KVA
DOZER-31	90-280V	3 KVA
DOZER-37	50-280V	3 KVA
DOZER-50	90-280V	5 KVA
DOZER-51	90-280V	5 KVA
DOZER-57	50-280V	5 KVA

CONSTANT VOLTAGE REGULATOR

SPECIAL FEATURES:

- Constant Regulated Voltage Output
- Wide Input Voltage Range
- Built in High / Low Voltage & Over Load Cut-off
- 5 Second Initial Delay
- Output / Input Digital Display




SPECIFICATIONS

MODEL	WORKING RANGE	CAPACITY (MAX.)
ASTRO-51	90-280V	5 KVA
ASTRO-81	90-280V	8 KVA
ASTRO-101	90-280V	10 KVA


MODELS MENTIONED IN THE CATALOGUE MAY BE CHANGED WITH SUPERIOR MODELS

For more information and detail contact or call:
Zodin Industries LLP, 1306, Agarwal Corporate Heights, Netaji Subash Place,
 Pitampura, Delhi - 110 034 India | **Phone:** General enquiry: 011 23125797
For Distributorship/ Dealership: 09811044866 | **For Technical matters:** 09811542315
Email: zodin100@gmail.com **WEB:** www.zodin.in

SPECIFICATIONS AND DESIGNS MAY CHANGEDUE TO R&D DEVELOPMENTS



PROTECTION FROM VOLTAGE FLUCTUATIONS WITH THE ALL-NEW POWER GUARD



POWER PROTECTOR / STABILIZER

OPTION 3 (INSIDE)



FRIDGE VOLTAGE REGULATOR

AC VOLTAGE REGULATOR

AUTOMATIC VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wide Input Voltage Range
- LED to Indicate Power On
- Sleek and Compact Design
- Three Pin Double Moulded Mains Input Cord
- ABS Plastic Front with latest Design Concept
- Volt Meter to Indicate Output Voltage



SPECIFICATIONS

MODEL	WORKING RANGE	CAPACITY
SIPA-6	170-280V	FRIDGE UPTO 290Lts.
SLEEK-3	130-280V	FRIDGE UPTO 290Lts.
VOXAN-3	130-280V	FRIDGE UPTO 290Lts.
VOXAN-1	100-280V	FRIDGE UPTO 290Lts.
VOXAN-5	60-280V	FRIDGE UPTO 290Lts.



AUTOMATIC VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wall Mountable & Compact
- High, Low Volt & Over Load Protection
- Volt Meter to Indicate In/Out Voltage
- LED to Indicate Power On



SPECIFICATIONS

MODEL	INPUT RANGE	AC CAPACITY
SILVO-47	170-260V	UPTO 1.5 TON
SILVO-45	150-260V	UPTO 1.5 TON
SILVO-56	165-260V	UPTO 2 TON

DIGITAL VOLTAGE REGULATOR

SPECIAL FEATURES:

- Regulated Voltage Output
- Wall Mountable & Compact Design
- High, Low Volt & Over Load Protection
- Digital Processor Inside
- Digital Voltage & Indications Display



SPECIFICATIONS

MODEL	WORKING RANGE	AC CAPACITY
XENON-44	130-280V	UPTO 1.5 TON
XENON-54	130-280V	UPTO 2 TON
XENON-41	90-280V	UPTO 1.5 TON
XENON-51	90-280V	UPTO 2 TON

SPECIAL MODELS WITH SPECIFIC DESIGN ARE ALSO AVAILABLE ON REQUEST